

Anhang B / Appendix B
CAPABILITY LIST
des / of the
EASA Part-145 Instandhaltungsbetrieb
/
EASA Part-145 Maintenance Organization
DE.145.0021

Teil 1 – Ausrüstungsteile aus dem eigenen Herstellungsbetrieb
/
Part 1 – Equipment of the in-house Production Organization

Dieses Dokument wurde über den Lenkungslauf in SYCAT freigegeben.
This document is controlled and released by SYCAT workflow

Änderungsverzeichnis des Anhang B / Change Record of Appendix B

| Ausgabe/ Issue | Änderung / Change |
|----------------|--|
| ältere / older | siehe Archiv / see Archive |
| 86 | <p>Im Kopf Triple Release ergänzt auf allen Seiten</p> <p>DVA6969-00 added for location Dresden Amendment Sheet 2021-01 LBA approved</p> <p>WBV6990-00 added for location Dresden Amendment Sheet 2021-02 LBA approved</p> <p>AN6915-02 added (minor change per 2021-03)</p> |
| 87 | <p>WBV9741-00 added for location Dresden Amendment Sheet 2021-04 LBA approved</p> <p>WTA6953-XX added for location Dresden Amendment Sheet 2021-05 LBA approved</p> <p>PSCU1108-00 added for location Dresden Amendment Sheet 2021-06 LBA approved</p> <p>GWM5500-04 added for location Gilching (minor change per 2021-08)</p> <p>VD3810 EASA changed to FAA (minor change per 2021-09)</p> |
| 88 | TA9107-00; TA9108-00; TA9117-00; TA9118-00 added for location Dresden Amendment Sheet 2021-07 LBA approved |
| 89 | PWM9290-05 added for location Dresden, changed to FAA (minor change per 2021-10) Header of the PN List extended |
| 90 | VR6962-10 added (minor change per 2022-01) APS6967-02 added (minor change per 2022-02) 9630300-1233 and -1243 added and changed to FAA (minor change per 2022-03) |
| 91 | ARU6600-00, ARU6600-00B added for location Gilching and Dresden (major change per Amendment 2022-04, LBA approved) |
| 92 | AN3016-00, AN3018-00 added for location Dresden (major change per Amendment 2022-05, LBA approved) WLS3015-00, WLS3017-00 added for location Dresden (major change per Amendment 2022-06, LBA approved) |
| 93 | G03810015-001 added for location Dresden (major change per Amendment 2022-07, LBA approved) |
| 94 | <p>VSC8997-00 and VSC8997-01 added for location Gilching (major change per Amendment 2022-09, LBA approved)</p> <p>AN6915-03 added for location Dresden (minor change per 2022-08)</p> |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|--|---|--|----------|----------|------|
| | | | | DRE | GIL |
| 3210 | Heater, Fan (Heizlüfter) | 3210 | C1 | - | EASA |
| 3639 | Heater (Heizpatrone) | PV500030106 Dwg. 3639-0000-0000 | C1 | - | EASA |
| 3641 | Heater (Heizpatrone) | PV 3.5.3/3 Dwg. 3641-0000-0000 | C1 | - | EASA |
| 3862-1101 /-1201 /-1301 3862-2101 /-2201 /-2301 3863-1101 /-1201 /-1301 /-1401 3863-2101 /-2201 /-2301 /-2401 | Air Inlet Duct / Air Outlet Duct | 21-59-03 | C6 | - | EASA |
| 417U1201S01-A / ...S02-A | Toilet Assembly (LH / RH) with Support Ring | 38-32-23 & Boeing Drawing No. 417U1201S01-A / ...S02-A | C6 | FAA | - |
| 86500-109 | Water Valve | 38-32-59 | C6 | FAA | - |
| 86600-103 REV K / -REV L | Flush Valve | 38-32-78 | C6 | FAA | - |
| 9630100-1111 | Valve, Drain ½" | 38-14-41 | C6 | EASA | - |
| 9630100-1411 | Valve, Drain ¾" | | | | |
| 9630100-1211 /-1221 /-1611 | Valve, Fill/Drain / Valve, Motorized S/O ½" | 38-14-42 | C6 | EASA | - |
| 9630100-1301 | Manifold, Air | 38-40-20 | C6 | EASA | - |
| 9630100-1501 | Float Valve | 38-41-15 | C6 | EASA | - |
| 9630200-1001 | Switch, Pressure | 38-42-52 | C6 | EASA | - |
| 9630200-1101 | Transmitter, Quantity | 38-13-51 | C6 | EASA | - |
| 9630300-0101 | Compressor, Air | 38-42-55 | C6 | EASA | - |
| 9630300-1101 /-1111 | Potable Water Control Unit | 38-13-31 | C6 | FAA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|-----------------------------------|------------------------------------|-------------------------------------|----------|----------|-----|
| | | | | DRE | GIL |
| 9630300-1203 /-1223 /-1233 /-1243 | Indication Panel Potable Water | 38-13-21 | C6 | FAA | - |
| 9630500-1001 | Cable Control, F/D Handle | 38-10-19 | C6 | EASA | - |
| 9630500-1201 | Cable Control, Drain | 38-10-15 | C6 | EASA | - |
| 9632500-7001 | Actuation Unit | 38-10-20 | C6 | EASA | - |
| 9632500-8001 | Control Cable, Drain FWD | 38-10-13 | C6 | EASA | - |
| 9632500-9001 | Control Cable, Drain | 38-10-12 | C6 | EASA | - |
| 9632501-0001 | Control Cable, Drain | 38-10-14 | C6 | EASA | - |
| 9632501-1001 | Control Cable, Fill Drain | 38-10-17 | C6 | EASA | - |
| 9632501-2001 | Control Cable, Fill/Drain | 38-10-18 | C6 | EASA | - |
| 9632501-3001 | Control Cable, Drain | 38-10-25 | C6 | EASA | - |
| 9633010-0050 | Tank Potable Water | 38-11-17 | C6 | EASA | - |
| 9633030-0050 /-0060 /-0070 | | | | | |
| 9633501-3001 | Control Cable, Potable Water Drain | 38-10-11 | C6 | EASA | - |
| 9633501-4001 | Control Cable, Potable Water Drain | 38-10-10 | C6 | EASA | - |
| 9633502-0001 | Control Cable, Fill/Drain | 38-10-16 | C6 | EASA | - |
| 9633502-1001 | CTL Lever Waste Drain | 38-30-17 | C6 | EASA | - |
| 9633502-2001 | Cable Control Waste Drain | 38-30-18 | C6 | EASA | - |
| 9633502-3001 | Cable Control Waste Drain | 38-30-19 | C6 | EASA | - |
| 9633502-4001 | CTL Lever Service Waste Drain | 38-30-20 | C6 | EASA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|--|---|--|----------|----------|------|
| | | | | DRE | GIL |
| 9633502-5001 | CTL Lever Waste Balancing | 38-30-21 | C6 | EASA | - |
| 9633502-6001 | Waste Balancing Cable Control | 38-30-23 | C6 | EASA | - |
| 9633502-7001 | Service Waste Drain Cable Control 1 | 38-30-22 | C6 | EASA | - |
| ACU3855-01 /-02 | Air Cooling Unit | 25-34-01 | C6 | - | FAA |
| ACU3855-04 /-05 /-06 ACU3859-01 /-02 /-03 | Air Cooling Unit | 25-34-03 | C6 | - | FAA |
| ACU3864-00 /-01 /-02 /-03 | Air Cooling Unit | 21-59-01 | C1 | FAA | - |
| ACU3864-10 /-20/-21 | Air Cooling Unit | 21-59-02 | C1 | FAA | - |
| ACU3866-01 | Air Cooling Unit | 21-59-07 | C1 | FAA | - |
| AN3016-00 | Quantity Indicator | 38-10-52 | C6 | FAA | - |
| AN3018-00 | Quantity Indicator | 38-10-52 | C6 | FAA | - |
| AN6915-00 /-01/-02/-03 | Indication Panel | 38-10-29 | C6 | FAA | - |
| AOA5001 | Bediengerät Zusatztank (Control Panel Long Range Tank) | PV500070201 Dwg. Set 5001-0000-0000 | C9 | - | EASA |
| APS9105-00 | Absolute Pressure Sensor | 38-31-15 | C6 | FAA | - |
| APS6967-00 /-01 /-02 | Absolute Pressure Sensor | 38-31-72 | C6 | FAA | - |
| ARU6600-00 / -00B | Air Refrigeration Unit | 25-34-05 | C6 | FAA | FAA |
| ASV5400-01 | Air Shut Off Valve | 38-35-77 | C6 | EASA | - |
| ASVH6925-00 | Air Stop Valve Heater | 30-71-01 | C18 | FAA | |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|----------------------------|---|-------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| BWV9507-00 | Bypass Water Valve | 21-72-09 | C1 | - | EASA |
| CC9182-00, CC9183-00 | Cable Control 1, Cable Control 2 | 38-31-48 | C6 | EASA | - |
| CM9190-00 | Coding Module | 38-31-40 | C6 | FAA | - |
| CR3862-0101 /-0102 /-0103 | Core | 21-59-04 | C1 | - | FAA |
| CR3863-0101 /-0102 /-0103 | Core | 21-59-05 | C1 | - | FAA |
| CU9201-00 | Control Unit | 38-30-07 | C6 | FAA | FAA |
| CV5660-00 | Check Valve | 38-32-26 | C6 | EASA | - |
| CV9376-00 | Check Valve | 38-31-67 | C6 | EASA | - |
| DF9344-00 | Drinking Faucet | 38-16-02 | C6 | EASA | - |
| DCU9571-00 | Drying Control Unit | 21-73-02 | C1 | - | EASA |
| DM9293-00, DM9298-00 | Drain Mast | 38-15-05 | C6 | EASA | - |
| DV9169-00 | Cable Assembly | 38-32-27 | C6 | EASA | - |
| DVA6960-00 | Actuation Unit | 38-31-95 | C6 | FAA | - |
| DVA6969-00 | Actuation Unit | 38-31-95 | C6 | FAA | - |
| EB3862-3102 | Electronic Box (Sub-Assy of CR3862--xx) | 21-59-04 | C1 | - | FAA |
| EB3864-4000 / -4001 /-4002 | Electronic Box (Sub-Assy of ACU3864-xx) | 21-59-01 | C1 | FAA | FAA |
| EB6300-00/-01 | Electronic Box (Sub-Assy of GCU3830-xx) | 21-57-02 | C1 | - | EASA |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|---|---|-------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| ECV9284-01 | Electrical Check Valve | 38-12-02 | C6 | EASA | - |
| FCM6965-00 /-01 | Flush Control Module (Sub-Assy of TA69xx-00 /-01) | 38-31-89 | C6 | FAA | - |
| FCM9130-00 /-01 | Flush Control Module | 38-31-42 | C6 | FAA | - |
| FCM9131-00 | Flush Control Module (Sub-Assy of TA9124-xx) | 38-32-24 | C6 | FAA | - |
| FCM9212-01 | Flush Control Module (Sub-Assy of TA9206-01) | 38-33-02 | C6 | FAA | - |
| FCU9811 | Flush Control Unit | 38-34-74 | C6 | FAA | - |
| FCU9811-01 / FCU9816 | Flush Control Unit | 38-32-73 | C6 | FAA | - |
| FD9343-00 | Filter Device | 38-16-02 | C6 | EASA | - |
| FDCP9219-00 | Fill/Drain Control Panel | 38-15-02 | C6 | - | EASA |
| FDP9296-01 | Fill/Drain Nipple | 38-15-06 | C6 | EASA | - |
| FN787-01 | Zonal Dryer Fan | 21-72-03 | C1 | FAA | FAA |
| FNH9217-01 | Flush Nipple (heated) | 38-32-06 | C6 | EASA | - |
| FSD9480-00 /-10 | Fire/Smoke Detector | 26-17-13 | C18 | FAA | - |
| FT9339-00 /-10 /-20 /-30 /-33 /-40 | Faucet | 38-30-03 | C6 | FAA | FAA |
| FPH6985-101 to -104 FPH6985-201 to -204 FPH6985-301 to -302 FPH6985-401 to -408 FPH6985-901 to -904 | Floor Panel Heated | 25-27-01 | C6 | FAA | - |
| FV9930-00 / -01 | Flush Valve | 38-32-79 | C6 | FAA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|------------------------------------|---|-------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| G03810007-001 | Module, Control, System Heating | 38-11-20 | C6 | FAA | - |
| G03830008-001 | Generator, Vacuum | 38-30-12 | C6 | - | FAA |
| G03810015-001 (SDV7080-00 /-01) | Valve, Solenoid, Shut Off | 38-12-12 | C6 | FAA | - |
| G03810018-001 | Pump, Water | 38-10-42 | C6 | - | FAA |
| G03810131-001 | Potable Water Supply Module | 38-12-11 | C6 | FAA | |
| G540DA5 | Valve, Waste Balancing | 38-32-75 | C6 | FAA | - |
| G540DA51 | Valve, Waste Drain | 38-32-48 | C6 | FAA | - |
| G540DA51-01 | Valve, Waste Drain | 38-32-49 | C6 | FAA | - |
| G540DA72, G540DA72-01 | Separator, Waste | 38-34-19 | C6 | EASA | - |
| G540DA74 | Liquid Level Transmitter | 38-32-53 | C6 | FAA | - |
| G540DA9 | Air Shut-Off-Valve | 38-32-77 | C6 | EASA | - |
| GCU3830-00 /-01 | Ground Cooling Unit | 21-57-01 | C1 | - | EASA |
| GCU3830-10 /-20 | Ground Cooling Unit | 21-57-02 | C1 | - | EASA |
| GCU9180-40 /-41/-42 | Galley Waste Disposal Control Unit (LRU, Sub Assy of GWD9180-xx) | 38-31-63 | C6 | - | EASA |
| GWD6978-00 | Galley Waste Disposal Unit | 38-31-64 | C6 | FAA | - |
| GWD9172-00 | Galley Waste Disposal Unit | 38-31-59 | C6 | EASA | - |
| GWD9180-00 /-10 GWD9180-01 /-11 | Galley Waste Disposal Unit | 38-31-62 | C6 | EASA | - |

Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K & TCCA Approval 0810-13

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|-----------------------------|--|-------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| GWM5500-00 /-01/-04 | Gray Water Module | 38-31-02 | C6 | - | FAA |
| H3310A1 | Heater | 25-75-01 | C6 | - | EASA |
| HCU9505-01 | Humidification Control Unit | 21-72-01 | C1 | - | EASA |
| HIU787-01 /-02 | Humidifier Interface Unit | 21-71-30 | C1 | FAA | - |
| IPCU6980-01 | Ice Protection Control Unit | 30-70-01 | C18 | FAA | - |
| IPDU6981-XXXX | Ice Protection Data Unit | 30-70-02 | C18 | FAA | - |
| J540AI1-300 | Toilet Assembly (LH), Toilet Assembly (RH) | 38-32-41 | C6 | FAA | - |
| J540AI2-300 | | | | | |
| J540AI1-500 /-520 | Toilet Assembly (LH), Toilet Assembly (RH) | 38-32-42 | C6 | FAA | - |
| J540AI2-500 /-520 | | | | | |
| J540AI1-510 | Toilet Assembly (LH), Toilet Assembly (RH) | 38-32-44 | C6 | FAA | - |
| J540AI2-510 /-515 | | | | | |
| J540AI1-600 | Toilet Assembly (LH), Toilet Assembly (RH) | 38-32-43 | C6 | FAA | - |
| J540AI2-600 | | | | | |
| J540AI1-700 /-701/-710/-711 | Toilet Assembly (LH), Toilet Assembly (RH) | 38-31-58 | C6 | FAA | - |
| J540AI2-700 /-701/-710/-711 | | | | | |
| J540AI3-300 | Controller, Vacuum System | 38-32-34 | C6 | FAA | - |
| J540AI4-100 | Generator, Vacuum | 38-32-55 | C6 | FAA | - |
| J540AI6 | Air Check Valve | 38-31-46 | C6 | EASA | - |
| J540AI71-100 /-200 | Waste Tank Assy | 38-32-45 | C6 | EASA | - |
| J540AI73 | Sensor, Liquid Level | 38-31-54 | C6 | FAA | - |
| J540AI75-100 | Sensor, Differential Pressure | 38-31-56 | C6 | EASA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|--|------------------------------|--|----------|----------|------|
| | | | | DRE | GIL |
| KP5081-00 | Electrical Fuel Booster Pump | 28-20-01 | C9 | EASA | - |
| MSDV9712-00 /-10 /-20 | Manual Sink Drain Valve | 38-30-06 | C6 | FAA | FAA |
| PA9285-01 | Pressure Reservoir | 38-13-02 | C6 | EASA | - |
| PR603/1, PR603/2, PR603/2/X, PR6030A7 | Pitot Tube (Staurohr) | PV 4.3.5/29-1 | C3 | - | EASA |
| PR608 | Pitot Tube (Staurohr) | PV 4.3.5/33, Dwg. Set D608 | C3 | - | EASA |
| PR6123 | Pitot Tube (Staurohr) | PV 4.3.5/34, Dwg. Set D6123-0000-0000 | C3 | - | EASA |
| PR6130/1 | Pitot Tube (Staurohr) | PV 500 1100 03, Dwg. Set 6130/1-0000-0000 | C3 | - | EASA |
| PSCU1108-00 | Preselection Control Unit | 38-10-50 | C6 | FAA | - |
| PWA6901-00 | Tank Assy-PW | 38-10-32 | C6 | FAA | - |
| PWA6917-00 | Tank Assy – PW Large | 38-10-32 | C6 | FAA | - |
| PWM6900-00 | Potable Water Tank Module | 38-10-27 | C6 | FAA | - |
| PWM6942-00 | Potable Water Tank Module | 38-10-27 | C6 | FAA | - |
| PWM6943-00 | Potable Water Tank Module | 38-10-27 | C6 | FAA | - |
| PWM9290-01 / -03 / -04 / -05 | Potable Water Tank Module | 38-13-01 | C6 | FAA | |
| PWP6907-01 / -02 | Potable Water Pump | 38-10-31 | C6 | - | FAA |
| PWP9282-01, PWP9282-02 | Potable Water Pump | 38-11-01 | C6 | EASA | - |
| PWT9338-00 /-33 | Potable Water Tank | 38-30-02 | C6 | FAA | FAA |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|------------------------|--|--|----------|----------|------|
| | | | | DRE | GIL |
| PWT9460-00 | Potable Water Tank Module | 38-10-05 | C6 | FAA | - |
| RCP5160-00, RCP5161-00 | Flush Pump | 38-30-04 | C6 | FAA | FAA- |
| RP9467-00 | Recirculation Pump | 38-31-91 | C6 | EASA | - |
| RPCU9167-01 | Residual Pressure Control Unit | 21-30-01 | C1 | FAA | FAA |
| RHS9503-00 | Relative Humidity Sensor | 21-72-05 | C1 | - | EASA |
| RTA9147-00 / -01 | Recirculating Toilet Module | 38-30-05 | C6 | FAA | FAA |
| RTA9465-00 | Recirculating Toilet Assembly | 38-31-90 | C6 | EASA | - |
| RTA9713-00 | Recirculating Toilet Module | 38-30-01 | C6 | FAA | FAA |
| RTC9468-00 | Recirculating Toilet Control Unit | 38-31-92 | C6 | EASA | - |
| SA622-2 | Schauzeichen (Stromanzeiger) (Current Indicator) | PV 4.3.5/35-6, Dwg.Set C 6220-0000-0000 | C3 | - | EASA |
| SD9422-01 | Smoke Detector | 26-15-01 | C18 | FAA | - |
| SD9425-01 | Smoke Detector | 26-17-11 ^{*2)} | C18 | EASA | - |
| SD9470-22 | Smoke Detector | 26-15-02 | C18 | FAA | - |
| SD9472-00 | Smoke Detector | 26-17-12 | C18 | FAA | - |
| SHCM9280-02 /-03 /-04 | System Heating Control Module | 38-00-01 | C6 | - | FAA |
| SP9289-01 | Overflow Nipple (Heated) | 38-15-07 | C6 | EASA | - |
| SPL9181-00 | Service Panel Lever Unit | 38-31-19 | C6 | EASA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | | | | | | |
|--|----------------------------------|-------------------------------------|----------|----------|------|-----------------------------------|----------|----|------|---|
| | | | | DRE | GIL | | | | | |
| SPL9205-00 | Service Panel Lever Unit | 38-31-94 | C6 | EASA | - | | | | | |
| TA6949-00 / -01, TA6950-00 / -01 | Toilet Assembly | 38-31-84 | C6 | FAA | - | | | | | |
| TA9107-00, TA9108-00 TA9117-00; TA9118-00 | Toilet Assembly | 38-32-80 | C6 | FAA | - | | | | | |
| TA9115-00, TA9116-00 TA9125-00, TA9126-00 | Toilet Assembly | 38-31-61 | C6 | FAA | - | | | | | |
| TA9208-01 | Toilet Assembly | 38-33-01 | C6 | FAA | - | | | | | |
| TA9124-00 / -50 | Toilet Assembly (LH / RH) | 38-32-23 | C6 | FAA | - | | | | | |
| TBA9735-00 /-01, TBA9736-00 /-01 TBA9745-00 / TBA9746-00 | Toilet Bidet Assembly | 38-31-80 | C6 | FAA | - | | | | | |
| TC7200A0A0 | Temperature Controller | 25-75-02 | C6 | - | EASA | | | | | |
| TM9150-00 /-01 /-10 /-11 TM9151-00 /-01 /-10 /-11 TM9152-00 /-01 TM9153-00 /-01 | Waste Tank Module L/H / R/H | 38-31-47 | C6 | EASA | - | | | | | |
| TM9160-00 /-01 /-10 /-11 TM9161-00 /-01 /-10 /-11 | | | | | | | | | | |
| TM9162-01 | | | | | | Waste Tank Module | 38-31-35 | C6 | EASA | - |
| TM9185-00 | | | | | | Tank Module (includes WTA9315-00) | 38-32-20 | C6 | EASA | - |
| TM9210-01 /-02 /-03 | Waste Tank Module | 38-31-01 | C6 | FAA | - | | | | | |
| TS6340A0 | Compartment Temperature Selector | 25-75-03 | C6 | - | EASA | | | | | |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|-------------------|---------------------|---------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| VA3645 | Fan, Axial | PV 3.5.3/8 Dwg. Set 3645-0000-0000 | C1 | - | FAA |
| VA3660 | Fan, Axial | PV 3.5.3/7 Dwg. Set 3660-0000-0000 | C1 | - | FAA |
| VA4110 | FWD Cargo Fan | 21-21-18 | C1 | - | FAA |
| VA4111-05 /-06 | Fan, Variable Speed | 21-21-24 | C1 | - | FAA |
| VA4120-00 | FWD.Cargo Fan | 21-21-20 | C1 | - | FAA |
| VD3800 | Mixed Flow Fan | 21-21-13 | C1 | - | FAA |
| VD3810 | Mixed Flow Fan | 21-21-12 | C1 | FAA | FAA |
| VD3820, VD3820-01 | Fan, Mixed Flow | 21-21-11 | C1 | - | FAA |
| VD3870 | Fan, Mixed Flow | 3870 | C1 | - | FAA |
| VD3900-02 /-03 | Recirculation Fan | 21-21-16 | C1 | EASA | EASA |
| VD3900-021 | Recirculation Fan | 21-21-23 | C1 | EASA | EASA |
| VD3901-00 | Fan, Recirculation | 21-21-16 | C1 | FAA | FAA |
| VD3909-00 | Fan, Recirculation | 21-21-19 | C1 | EASA | EASA |
| VD3920 | Fan, Extraction | 21-21-14 | C1 | EASA | EASA |
| VR3910 | Fan, Extraction | 21-21-15 | C1 | - | FAA |
| VR3914-00 | Fan | 21-73-01 | C1 | - | FAA |
| VR3916-00 | Vacuum Generator | 38-32-22 | C6 | FAA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|--------------------------------------|--|-------------------------------------|--------------------|-------------------|---------------------|
| | | | | DRE | GIL |
| VR6962-00 /-01 /-10 | Vacuum Generator | 38-31-86 | C6 | FAA | FAA |
| VR9218-01 | Vacuum Generator | 38-31-03 | C6 | - | FAA |
| VR4100-02 /-03 /-04 | Recirculation Fan | 21-21-17 | C1 | FAA | FAA |
| VSC8991' VSC8992 VSC8993, VSC8994 | Vacuum System Controller | 38-32-35 | C6 | FAA | - |
| VSC8997-00 /-01 | Vacuum System Controller | 38-32-36 | C6 | - | FAA |
| VSC9100-00 /-01 /-02 | Vacuum System Controller | 38-31-34 | C6 | FAA | - |
| WBV6990-00 | Waste Ball Valve | 38-31-88 | C6 | FAA | - |
| WBV9741-00 | Waste Ball Valve | 38-32-48 | C6 | FAA | - |
| WC9340-01/-02 | Water Cooler Assembly | refer to Sub Assemblies | C6 | EASA | - |
| WC9342-00 /-01 | Water Cooler | 38-16-01 | C6 | EASA | - |
| WCU9164-01 | Waste Control Unit | 38-31-32 | C6 | - | EASA |
| WCU9188-00 | Waste Control Unit (Sub Assy of TM9185-00) | 38-32-21 | C6 | - | EASA |
| WCU6958-00 | Waste Control Unit | 38-31-87 | C6 | - | FAA |
| WCU9214-01 | Waste Control Unit | 38-31-04 | C6 | - | FAA |
| WDV5650-00 | Drain Valve | 38-32-28 | C6 | EASA | - |
| WDV6959-00 | Waste Drain Valve | 38-31-88 | C6 | FAA | - |
| WDV9215-00 | Waste Dump Valve | 38-32-03 | C6 | EASA | - |
| WLS3015-00 | Quantity Transmitter | 38-10-51 | C6 | FAA | - |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C-Rating | Location | |
|---|---|-------------------------------------|----------|----------|------|
| | | | | DRE | GIL |
| WLS3017-00 | Quantity Transmitter | 38-10-51 | C6 | FAA | - |
| WLS6902-00 | Quantity Transmitter | 38-10-33 | C6 | - | FAA |
| WLS9292-01 /-02 /-03 /-04 | Water Control Unit | 38-12-01 | C6 | - | FAA |
| WPV787-01 | Water Pulse Valve | 21-71-22 | C1 | FAA | - |
| WT228/x-xxxx (all versions as listed in 31-50-01) | Warntableau | 31-50-01 | C13 | - | EASA |
| WTA6906-00 | Treatment Module PW | 38-10-30 | C6 | FAA | - |
| WTA6906-01 | Treatment Module PW | 38-10-30 | C6 | FAA | - |
| WTA6953-XX | Waste Tank Assembly | 38-31-97 | C6 | FAA | - |
| WV6966-00 | Water Valve (Sub-Assy of TA6949-00 u.a.) | 38-31-85 | C6 | FAA | - |
| WV6966-01 | Water Valve (Sub-Assy of TA6949-00 u.a.) | 38-31-85 | C6 | FAA | - |
| WV9132-00 | Valve Assy, Water (Sub Assy of TA9124-x0) | 38-32-25 | C6 | FAA | - |
| WV9135-00 | Water Valve | 38-31-52 | C6 | FAA | - |
| WV9135-01 | Water Valve | 38-31-53 | C6 | FAA | - |
| WV9737-00, WV9738-00 | Water Valve | 38-31-82 | C6 | FAA | - |
| WV9940-00 | Water Valve | 38-32-60 | C6 | FAA | - |
| WVA9504-00 / -01 | Water Valve Assembly | 21-72-10 | C1 | - | EASA |
| WWP9278-01 | WWS Control & Indication Panel | 38-00-02 | C6 | EASA | - |
| ZCU787-02 /-03 /-04 | Zonal Control Unit | 21-72-30 | C1 | - | FAA |

**Capability List of Maintenance Organization DE.145.0021,
FAA approved Repair Station AGGY136K & TCCA Approval 0810-13**

Part 1



Location: DRE = Dresden, GIL = Gilching;
List sorted by Part Numbers

Release Certificate: **EASA** = Single Release EASA Form 1-145 only
FAA = EASA Form 1-145 Dual Release or Triple Release FAA
Approval AGGY136K / TCCA Approval 0810-13

| Part Number | Name | Maintenance Document ^{*1)} | C- Rating | Location | |
|-------------|------|-------------------------------------|-----------|----------|-----|
| | | | | DRE | GIL |

- End of List -

Note *1): the complete set of maintenance documents and its revision status is available in archive as described in VA.0011

Note *2): limited to work as described in Manual 26-17-11 (no exchange of radioactive source and no calibration)