

**EDI GUIDELINE**

for

**PURCHASE ORDER RESPONSE**

<b>Message Type</b>	<b>ORDRSP</b>
<b>Version</b>	<b>1</b>
<b>Release</b>	<b>921</b>

## Table of Contents

### PURCHASE ORDER RESPONSE

Message Layout Diagram .....	3
------------------------------	---

Explanatory Requirements .....	3
--------------------------------	---

#### Segment / Element Description

UNB - Interchange Control Header .....	4
UNH - Message Header .....	5
BGM - Beginning of Message .....	5
DTM - Date/Time/Period .....	6
RFF - References .....	6
DTM - Date/Time/Period .....	6
NAD - Name and Address .....	7
RFF - References .....	7
CUX - Currency .....	8
LIN - Line Item .....	8
PIA - Additional Product Information .....	8
IMD - Item Description.....	9
QTY - Quantity .....	9
DTM - Date/Time/Period .....	9
PRI - Price Information .....	10
RFF - Reference .....	10
SCC - Scheduling Conditions .....	10
QTY - Quantity .....	11
DTM - Date/Time/Period .....	11
UNS - Section Control .....	11
UNT - Message Trailer .....	12
UNZ - Interchange Control Trailer .....	12

#### Message Sample Transmissions

Sample 1 - ORDER with minimum required segments .....	13
---	----

## Message Layout Diagram

<u>Section</u>	<u>Segment</u>	<u>Description</u>	<u>Requirement</u>	<u>max.Repeat</u>		
H	UNB			Interchange Control Header	M	1
H	UNH			Message Header	M	1
H	BGM			Beginning of Message	M	1
H	DTM			Date/Time/Period	M	1
	<i>Group</i>	<i>1</i>			C	3
H		RFF		Reference	C	1
H		DTM		Date/Time/Period	C	1
	<i>Group</i>	<i>2</i>			M	5
H		NAD		Name and Address	M	1
H		RFF		Reference	C	1
H	CUX			Currencies	R	2
	<i>Group</i>	<i>3</i>			M	999
D		LIN		Line Item	M	1
D		PIA		Additional Product ID	R	1
D		IMD		Item Description	C	1
D		QTY		Quantity	D	1
D		DTM		Date/Time/Period	D	1
D		PRI		Price Details	R	1
D		RFF		Reference	C	3
		<i>Group</i>	<i>4</i>		R	99
D			SCC	Scheduling Conditions	M	1
D			QTY	Quantity	R	1
D			DTM	Date/Time/Period	R	1
S	UNS			Section Control	M	1
S	UNT			Message Trailer	M	1
S	UNZ			Interchange Control Trailer	M	1

## Explanatory Requirements

M - Mandatory

EDIFACT dictates that the data element or segment must be present.

R – Required

The data element or segment is conditional in EDIFACT, but it is required by Diehl

D - Depending

If the group 4 is present, the data element or segment is conditional otherwise it is required

C - Conditional

The data element or segment will be used by Diehl, but it's not mandatory

N – Not used

The data element or segment will not be used by Diehl

**UNB Segment - Interchange Control Header (Header)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To indicate the beginning of an interchange.

Composite/ Element	Element Description	Req	Data Type	Min/ Max Size	Diehl Usage/ Qualifiers/Definition
S001	SYNTAX IDENTIFIER	M			
	0001 Syntax identifier	M	AN	1/4	"UNOA" = UN/ECE level A
	0002 Syntax version number	M	N	1/1	"1"
S002	INTERCHANGE SENDER	M			
	0004 Sender identification	M	AN	1/35	XXX
	0007 Identification code qualifier	C	AN	1/4	
	0008 Address for reverse routing	C	AN	1/14	
S003	INTERCHANGE RECIPIENT	M			
	0010 Recipient identification	M	AN	1/35	DIEHLINF
	0007 Identification code qualifier	N	AN	1/4	
	0014 Routing address	N	AN	1/14	
S004	DATE/TIME OF PREPARATION	M			
	0017 Date	M	N	6/6	YYMMDD
	0019 Time	M	N	4/4	HHMM
0020	INTERCHANGE CONTROL REFERENCE	M	N	1/14	
S005	RECIPIENTS REFERENCE, PASSWORD	N			
	0022 Recipients reference, password	N	AN	1/14	
	0025 Recipients reference, password, qualifier	N	AN	2/2	
0026	APPLICATION REFERENCE	R	AN	1/14	"ORDRSP"

**UNH Segment - Message Header (Header)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To indicate the beginning of a message.

Composite/ Element	Element Description	Data Req	Type	Min/ Max Size	Diehl Usage/ Qualifiers/Definition
0062	MESSAGE REFERENCE NUMBER	M	AN	1/14	
S009	MESSAGE IDENTIFIER	M			
	0065 Message type identifier	M	AN	1/6	"ORDRSP"
	0052 Message type version number	M	AN	1/3	"1"
	0054 Message type release number	M	AN	1/3	"921"
	0051 Controlling agency	M	AN	1/2	"UN"
	0057 Association assigned code	R	AN	1/6	

**BGM Segment - Beginning of Message (Header)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To indicate the type and function of a message and to transmit the identifying number.

Composite/ Element	Element Description	Data Req	Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C002	DOCUMENT/MESSAGE NAME	M			
	1001 Document/message name, coded	M	AN	3/3	"231" = Order response
	1004 DOCUMENT/MESSAGE NUMBER	M	AN	1/35	Purchase order number without special characters.
	1225 MESSAGE FUNCTION, CODED	M	N	1/3	"34" = Accepted with amendments

**DTM Segment - Date/Time/Period (Header)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To specify pertinent date, and/or time, or period for the purchase order.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition		
C507	DATE/TIME/PERIOD	M				
	2005	M	AN	1/3	"137" = Document/message date/time	
	2380	M	AN	1/35	Purchase order date	
	2379	M	AN	1/3	"102" = CCYYMMDD	

**RFF Segment - Reference (Header)**

**Requirement: C**  
**Max. Repeat : 1**

Purpose: To specify a reference for the contract number of the order refers to.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition		
C506	REFERENCE	C				
	1153	M	AN	1/3	"ON" = Original purchase order	
	1154	M	AN	1/35	Buyer's original purchase order number	

**DTM Segment - Date/Time/Period (Header)**

**Requirement: C**  
**Max. Repeat : 1**

Purpose: To specify pertinent date, and/or time, or period for the purchase order.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition		
C507	DATE/TIME/PERIOD	C				
	2005	M	AN	1/3	"4" = Order date/time	
	2380	M	AN	1/35	Purchase order date	
	2379	M	AN	1/3	"102" = CCYYMMDD	

**NAD Segment - Name and Address (Header)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To specify the originating location of a party by extended name and address information.

Composite/ Element	Element Description	Data Req	Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
3035	PARTY QUALIFIER	M	AN	1/3	"DP" = Delivery Party "BY" = Buyer "SE" = Seller "SU" = Supplier
C082	PARTY IDENTIFICATION DETAILS	C			
	3039 Party id identification	M	AN	1/17	
	1131 Code list qualifier	N	AN	1/3	
	3055 Code list responsible agency, coded	C	AN	1/3	"91" = Assigned by seller or seller's agent "92" = Assigned by buyer or buyer's agent
C058	NAME AND ADDRESS	C			
	3124 Name and address line	M	AN	1/35	
C080	PARTY NAME	C			
	3036 Party name	M	AN	1/35	

**RFF Segment - Reference (Header)**

**Requirement: C**  
**Max. Repeat : 1**

Purpose: To specify the VAT registration number.

Composite/ Element	Element Description	Data Req	Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C506	REFERENCE	C			
	1153 Reference qualifier	M	AN	1/3	"VA" = VAT registration number
	1154 Reference number	M	AN	1/35	Registration number

## CUX Segment - Currencies (Header)

**Requirement: R**  
**Max. Repeat : 2**

Purpose: To specify currencies used in the transaction and relevant details for the rate of exchange.

Composite/ Element	Element Description	Data Req Type	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C504	CURRENCY DETAILS	M			
	6347 Currency details qualifier	M	AN	1/3	"2" = Reference currency
	6345 Currency, coded	M	AN	1/3	
	6343 Currency qualifier	M	AN	1/3	"9" = Order currency

## LIN Segment - Line Item (Detail)

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To identify a line item and configuration.

Composite/ Element	Element Description	Data Req Type	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
1082	LINE ITEM NUMBER	M	N	1/6	Original line item number
1229	ACTION REQUEST /NOTIFICATION, CODED	N	AN	1/3	"5" = Accepted without amendments "6" = Accepted with amendments
C212	ITEM NUMBER IDENTIFICATION	M			
	7140 Item number	M	AN	1/35	Part number (Article number)
	7143 Item number type, coded	M	AN	1/3	"VP" = Vendor's (seller's) part number "BP" = Buyer's part number

## PIA Segment - Additional Product ID (Detail)

**Requirement: R**  
**Max. Repeat : 1**

Purpose: To specify additional or substitutional item identification codes.

Composite/ Element	Element Description	Data Req Type	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
4347	PRODUCT ID FUNCTION QUALIFIER	M	AN	1/3	"1" = Additional identification
C212	ITEM NUMBER IDENTIFICATION	M			
	7140 Item number	M	AN	1/35	Part number (Article number)
	7143 Item number type, coded	M	AN	1/3	"VP" = Vendor's (seller's) part number "BP" = Buyer's part number



**QTY Segment – Quantity (Detail)**

**Requirement: D**  
**Max. Repeat : 1**

Purpose: To specify the total order quantity for a specific line item in the message.

Composite/ Element	Element Description	Req	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C186	QUANTITY DETAILS	M			
	6063 Quantity qualifier	M	AN	1/3	"113" = confirmed quantity
	6060 Quantity	M	N	1/15	Total quantity for the line item
	6411 Measure unit qualifier	C	AN	1/3	"PCE" = Pieces

**PRI Segment - Price Details (Detail)**

**Requirement: R**  
**Max. Repeat : 1**

Purpose: To specify price information.

Composite/ Element	Element Description	Req	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C509	PRICE INFORMATION	C			
	5125 Price qualifier	M	AN	1/3	"CAL" = Calculation
	5118 Price	C	N	1/15	Unit price (Maximum 4 decimals, only allow period as decimal separator)
	5375 Price type, coded	N	AN	1/3	
	5387 Price type qualifier	N	AN	1/3	
	5284 Unit price basis	C	N	1/9	
	6411 Measure unit qualifier	C	AN	1/3	"PCE" = Pieces

**RFF Segment - Reference (Detail)**

**Requirement: C**  
**Max. Repeat : 3**

Purpose: To identify warehouse storage location.

Composite/ Element	Element Description	Req	Data Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition
C506	REFERENCE	C			
	1153 Reference qualifier	M	AN	1/3	"LI" = Line Item number
	1154 Reference number	C	AN	1/35	
	1156 Line Item number	C	AN	1/6	Original Line Item number

**SCC Segment - Scheduling Conditions (Detail)**

**Requirement: M**

Purpose: To specify scheduling conditions.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition	
4017	DELIVERY PLAN STATUS INDICATOR, CODED	M AN	1/3	"1" = Firm	

## QTY Segment – Quantity (Detail)

Requirement: R

Max. Repeat : 1

Purpose: To specify the split order quantity for a specific line item in the message.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition	
C186	QUANTITY DETAILS	M			
	6063 Quantity qualifier	M AN	1/3	"21" = Total ordered quantity "113" = confirmed quantity	
	6060 Quantity	M N	1/15	Split quantity for the line item	
	6411 Measure unit qualifier	C AN	1/3	"PCE" = Pieces	

## DTM Segment - Date/Time/Period (Detail)

Requirement: R

Max. Repeat : 1

Purpose: To specify a delivery date on which requests goods to be delivered for the line item.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition	
C507	DATE/TIME/PERIOD	C			
	2005 Date/time/period qualifier	M AN	1/3	"67" = confirmed date "2" = requested date	
	2380 Date/time/period	M AN	1/35	delivery date	
	2379 Date/time/period format qualifier	M AN	1/3	"102" = CCYYMMDD	

## UNS Segment - Section Control (Summary)

Requirement: M

Max. Repeat : 1

Purpose: To separate detail and summary sections of a message.

Composite/ Element	Element Description	Data Req Type	Min/ Max Size	DIEHL Usage/ Qualifiers/Definition	
0081	SECTION IDENTIFICATION	M AN	1/1	"S" = Detail/summary section separation	

**UNT Segment - Message Trailer (Summary)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To end and check the completeness of a message.

<b>Composite/ Element</b>	<b>Element Description</b>	<b>Data Req</b>	<b>Data Type</b>	<b>Min/ Max Size</b>	<b>DIEHL Usage/ Qualifiers/Definition</b>
0074	NUMBER OF SEGMENTS IN A MESSAGE	M	N	1/6	Number of segments including UNH & UNT
0062	MESSAGE REFERENCE NUMBER	M	AN	1/14	Must be identical to the message reference number in the UNH segment

**UNZ Segment - Interchange Control Trailer (Summary)**

**Requirement: M**  
**Max. Repeat : 1**

Purpose: To end and check the completeness of an interchange.

<b>Composite/ Element</b>	<b>Element Description</b>	<b>Data Req</b>	<b>Data Type</b>	<b>Min/ Max Size</b>	<b>DIEHL Usage/ Qualifiers/Definition</b>
0036	INTERCHANGE CONTROL COUNT	M	N	1/6	Number of messages in a interchange
0020	INTERCHANGE CONTROL REFERENCE	M	AN	1/14	Must be identical to the interchange control reference in the UNB segment

**Example 1**

**Purchase Order Response with minimum segments required by Diehl**

UNA:+.? '  
UNB+UNOA:3+ your EDI addr +DIEHLINF+071006:1356+441++ORDRSP'  
UNH+1+ORDRSP:1:921:UN:ED3'  
BGM+231+745304+9'  
DTM+137:20071006:102'  
RFF+ON:12345678'  
NAD+BY+Buyer Code::92'  
NAD+SU+Supplier code::92'  
NAD+DP+Shipment code::92'  
CUX+2:USD:9'  
LIN+1+6+000705698:VP::91'  
PIA+1+UPD789074MC-049-5A4-E2-A:BP::92'  
QTY+113:5000:PCE'  
PRI+AAA:600:CT::1000:PCE'  
RFF+LI'  
SCC+1'  
QTY+113:5000:PCE'  
DTM+67:20071030:102'  
UNS+S'  
UNT+17+1'  
UNZ+1+20