

**Anhang B / Appendix B**  
**CAPABILITY LIST**  
des / of the  
**EASA Part-145 Instandhaltungsbetrieb**  
/  
**EASA Part-145 Maintenance Organization**

**DE.145.0021**

**Ausrüstungsteile aus dem eigenen Herstellungsbetrieb /**  
**Equipment of the in-house Production Organization**

## Änderungsverzeichnis des Anhang B / Change Record of Appendix B

Ausgabe/ Issue	Änderung / Change
ältere / older	siehe Archiv / see Archive
88	TA9107-00; TA9108-00; TA9117-00; TA9118-00 added for location Dresden Amendment Sheet 2021-07 LBA approved
89	PWM9290-05 added for location Dresden, changed to FAA (minor change per 2021-10) Header of the PN List extended
90	VR6962-10 added (minor change per 2022-01) APS6967-02 added (minor change per 2022-02) 9630300-1233 and -1243 added and changed to FAA (minor change per 2022-03)
91	ARU6600-00, ARU6600-00B added for location Gilching and Dresden (major change per Amendment 2022-04, LBA approved)
92	AN3016-00, AN3018-00 added for location Dresden (major change per Amendment 2022-05, LBA approved) WLS3015-00, WLS3017-00 added for location Dresden (major change per Amendment 2022-06, LBA approved)
93	G03810015-001 added for location Dresden (major change per Amendment 2022-07, LBA approved)
94	VSC8997-00 and VSC8997-01 added for location Gilching (major change per Amendment 2022-09, LBA approved) AN6915-03 added for location Dresden (minor change per 2022-08)
95	MCU1109-00, MCU1114-00 added (major change per 2023-01, LBA approved) VD3900-02, VD3900-03, VD3900-021, VD3909-00, VD3920 extended for FAA (minor change per 2023-04)
96	G03810023-001 (WH7130-00) added (major change per 2023-02, LBA approved) TA6989-00 & TA6995-00 added (major change per 2023-03, LBA approved) for Bombardier PN G0xxx Diehl OMP added (editorial change only)
97	SHCM9280-05 added per minor change 2023-05
98	PWM6944-00 added (major change per 2023-06, LBA approved) WTA6954-00 added (major change per 2023-07, LBA approved)
99	FCM6996-00 added (major change per 2024-01, LBA approved) FCM9109-00 added (major change per 2024-02, LBA approved) WLS6914-00 added (major change per 2024-03, LBA approved) WTA6701-00 added (major change per 2024-04, LBA approved) G03830016-001 (TA7150-00 /-01) and G03830055-001 (TA7154-00 /-01) added (major change per 2024-05, LBA approved) FCM7151-00 /-01 /-02 added (major change per 2024-06, LBA approved) FCM6965-XX (differentiation of Main-Assy, editorial change) RTA9465, RP9467, RTCU9468 change to FAA (minor change per 2024-07)
100	First issue as ALI-0234 GWD9112-00 added (minor change per 2024-08)
101	<a href="#">TCCA removed due to withdrawal of TCCA Approval 810-13</a> <a href="#">AN3040-00 added (minor change per 2024-09)</a> <a href="#">WTA3050-00 and WTA3060-00 added (minor change per 2024-10)</a>

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
3210	Heater, Fan (Heizlüfter)	3210	C1	-	EASA
3639	Heater (Heizpatrone)	PV500030106 Dwg. 3639-0000-0000	C1	-	EASA
3641	Heater (Heizpatrone)	PV 3.5.3/3 Dwg. 3641-0000-0000	C1	-	EASA
3862-1101 /-1201 /-1301 3862-2101 /-2201 /-2301 3863-1101 /-1201 /-1301 /-1401 3863-2101 /-2201 /-2301 /-2401	Air Inlet Duct / Air Outlet Duct	21-59-03	C6	-	EASA
417U1201S01-A / ...S02-A	Toilet Assembly (LH / RH) with Support Ring	38-32-23 & Boeing Drawing No. 417U1201S01-A / ...S02-A	C6	FAA	-
86500-109	Water Valve	38-32-59	C6	FAA	-
86600-103 REV K / -REV L	Flush Valve	38-32-78	C6	FAA	-
9630100-1111	Valve, Drain 1/2"	38-14-41	C6	EASA	-
9630100-1411	Valve, Drain 3/4"				
9630100-1211 /-1221 /-1611	Valve, Fill/Drain / Valve, Motorized S/O 1/2"	38-14-42	C6	EASA	-
9630100-1301	Manifold, Air	38-40-20	C6	EASA	-
9630100-1501	Float Valve	38-41-15	C6	EASA	-
9630200-1001	Switch, Pressure	38-42-52	C6	EASA	-
9630200-1101	Transmitter, Quantity	38-13-51	C6	EASA	-
9630300-0101	Compressor, Air	38-42-55	C6	EASA	-
9630300-1101 /-1111	Potable Water Control Unit	38-13-31	C6	FAA	-
9630300-1203 /-1223 /-1233 /-1243	Indication Panel Potable Water	38-13-21	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
9630500-1001	Cable Control, F/D Handle	38-10-19	C6	EASA	-
9630500-1201	Cable Control, Drain	38-10-15	C6	EASA	-
9632500-7001	Actuation Unit	38-10-20	C6	EASA	-
9632500-8001	Control Cable, Drain FWD	38-10-13	C6	EASA	-
9632500-9001	Control Cable, Drain	38-10-12	C6	EASA	-
9632501-0001	Control Cable, Drain	38-10-14	C6	EASA	-
9632501-1001	Control Cable, Fill Drain	38-10-17	C6	EASA	-
9632501-2001	Control Cable, Fill/Drain	38-10-18	C6	EASA	-
9632501-3001	Control Cable, Drain	38-10-25	C6	EASA	-
9633010-0050 9633030-0050 /-0060 /-0070	Tank Potable Water	38-11-17	C6	EASA	-
9633501-3001	Control Cable, Potable Water Drain	38-10-11	C6	EASA	-
9633501-4001	Control Cable, Potable Water Drain	38-10-10	C6	EASA	-
9633502-0001	Control Cable, Fill/Drain	38-10-16	C6	EASA	-
9633502-1001	CTL Lever Waste Drain	38-30-17	C6	EASA	-
9633502-2001	Cable Control Waste Drain	38-30-18	C6	EASA	-
9633502-3001	Cable Control Waste Drain	38-30-19	C6	EASA	-
9633502-4001	CTL Lever Service Waste Drain	38-30-20	C6	EASA	-
9633502-5001	CTL Lever Waste Balancing	38-30-21	C6	EASA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
9633502-6001	Waste Balancing Cable Control	38-30-23	C6	EASA	-
9633502-7001	Service Waste Drain Cable Control 1	38-30-22	C6	EASA	-
ACU3855-01 /-02	Air Cooling Unit	25-34-01	C6	-	FAA
ACU3855-04 /-05 /-06	Air Cooling Unit	25-34-03	C6	-	FAA
ACU3859-01 /-02 /-03	Air Cooling Unit	21-59-01	C1	FAA	-
ACU3864-00 /-01 /-02 /-03	Air Cooling Unit	21-59-02	C1	FAA	-
ACU3864-10 /-20/-21	Air Cooling Unit	21-59-07	C1	FAA	-
ACU3866-01	Air Cooling Unit	38-10-52	C6	FAA	-
AN3016-00	Quantity Indicator	38-10-52	C6	FAA	-
AN3018-00	Quantity Indicator	38-10-62	C6	FAA	-
AN3040-00	Indication Panel	38-10-29	C6	FAA	-
AN6915-00 /-01/-02/-03	Indication Panel	PV500070201 Dwg. Set 5001-0000-0000	C9	-	EASA
AOA5001	Bediengerät Zusatztank (Control Panel Long Range Tank)	38-31-15	C6	FAA	-
APS9105-00	Absolute Pressure Sensor	38-31-72	C6	FAA	-
APS6967-00 /-01 /-02	Absolute Pressure Sensor	25-34-05	C6	FAA	FAA
ARU6600-00 / -00B	Air Refrigeration Unit	38-35-77	C6	EASA	-
ASV5400-01	Air Shut Off Valve	30-71-01	C18	FAA	-
ASVH6925-00	Air Stop Valve Heater	21-72-09	C1	-	EASA
BWV9507-00	Bypass Water Valve				

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
CC9182-00, CC9183-00	Cable Control 1, Cable Control 2	38-31-48	C6	EASA	-
CM9190-00	Coding Module	38-31-40	C6	FAA	-
CR3862-0101 /-0102 /-0103	Core	21-59-04	C1	-	FAA
CR3863-0101 /-0102 /-0103	Core	21-59-05	C1	-	FAA
CU9201-00	Control Unit	38-30-07	C6	FAA	FAA
CV5660-00	Check Valve	38-32-26	C6	EASA	-
CV9376-00	Check Valve	38-31-67	C6	EASA	-
DF9344-00	Drinking Faucet	38-16-02	C6	EASA	-
DCU9571-00	Drying Control Unit	21-73-02	C1	-	EASA
DM9293-00, DM9298-00	Drain Mast	38-15-05	C6	EASA	-
DV9169-00	Cable Assembly	38-32-27	C6	EASA	-
DVA6960-00	Actuation Unit	38-31-95	C6	FAA	-
DVA6969-00	Actuation Unit	38-31-95	C6	FAA	-
EB3862-3102	Electronic Box (Sub-Assy of CR3862--xx)	21-59-04	C1	-	FAA
EB3864-4000 / -4001 /-4002	Electronic Box (Sub-Assy of ACU3864-xx)	21-59-01	C1	FAA	FAA
EB6300-00/-01	Electronic Box (Sub-Assy of GCU3830-xx)	21-57-02	C1	-	EASA
ECV9284-01	Electrical Check Valve	38-12-02	C6	EASA	-
FCM6965-00	Flush Control Module (Sub-Assy of TA6949-00 /TA6950-00)	38-31-89	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
FCM6965-01	Flush Control Module (Sub-Assy of TA6949-01, TA6950-01)	38-31-89	C6	FAA	-
FCM6996-00	Flush Control Module (Sub-Assy of TA6989-00 / TA6995-00)	38-31-78	C6	FAA	-
FCM7151-00 /-01 /-02	Flush Control Module (Sub-Assy of TA7150-00 /-01 and TA7154-00 /-01)	38-31-98	C6	FAA	-
FCM9109-00	Flush Control Module (Sub-Assy of TA9107-00, TA9108-00, TA9117-00, TA9118-00)	38-32-29	C6	FAA	-
FCM9130-00 /-01	Flush Control Module	38-31-42	C6	FAA	-
FCM9131-00	Flush Control Module (Sub-Assy of TA9124-xx)	38-32-24	C6	FAA	-
FCM9212-01	Flush Control Module (Sub-Assy of TA9206-01)	38-33-02	C6	FAA	-
FCU9811	Flush Control Unit	38-34-74	C6	FAA	-
FCU9811-01 / FCU9816	Flush Control Unit	38-32-73	C6	FAA	-
FD9343-00	Filter Device	38-16-02	C6	EASA	-
FDCP9219-00	Fill/Drain Control Panel	38-15-02	C6	-	EASA
FDP9296-01	Fill/Drain Nipple	38-15-06	C6	EASA	-
FN787-01	Zonal Dryer Fan	21-72-03	C1	FAA	FAA
FNH9217-01	Flush Nipple (heated)	38-32-06	C6	EASA	-
FSD9480-00 /-10	Fire/Smoke Detector	26-17-13	C18	FAA	-
FT9339-00 /-10 /-20 /-30 /-33 /-40	Faucet	38-30-03	C6	FAA	FAA

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
FPH6985-101 to -104 FPH6985-201 to -204 FPH6985-301 to -302 FPH6985-401 to -408 FPH6985-901 to -904	Floor Panel Heated	25-27-01	C6	FAA	-
FV9930-00 / -01	Flush Valve	38-32-79	C6	FAA	-
G03810007-001 (SHCM7010-00 /-01)	Module, Control, System Heating	38-11-20	C6	FAA	-
G03830008-001 (VR7170-00)	Generator, Vacuum	38-30-12	C6	-	FAA
G03810015-001 (SDV7080-00 /-01)	Valve, Solenoid, Shut Off	38-12-12	C6	FAA	-
G03810018-001 (PWP7100-00)	Pump, Water	38-10-42	C6	-	FAA
G03810023-001 (WH7130-00)	Water Heater	38-11-19	C6	FAA	-
G03810131-001 (PWSM7288-00)	Potable Water Supply Module	38-12-11	C6	FAA	-
G03830016-001 (TA7150-00 /-01)	Toilet Assembly	38-31-76	C6	FAA	-
G03830055-001 (TA7154-00 /-01)	Toilet Assembly	38-31-76	C6	FAA	-
G540DA5	Valve, Waste Balancing	38-32-75	C6	FAA	-
G540DA51	Valve, Waste Drain	38-32-48	C6	FAA	-
G540DA51-01	Valve, Waste Drain	38-32-49	C6	FAA	-
G540DA72, G540DA72-01	Separator, Waste	38-34-19	C6	EASA	-
G540DA74	Liquid Level Transmitter	38-32-53	C6	FAA	-



# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
G540DA9	Air Shut-Off-Valve	38-32-77	C6	EASA	-
GCU3830-00 /-01	Ground Cooling Unit	21-57-01	C1	-	EASA
GCU3830-10 /-20	Ground Cooling Unit	21-57-02	C1	-	EASA
GCU9180-40 /-41/-42	Galley Waste Disposal Control Unit (LRU, Sub Assy of GWD9180-xx)	38-31-63	C6	-	EASA
GWD6978-00	Galley Waste Disposal Unit	38-31-64	C6	FAA	-
<a href="#">GWD9112-00</a>	<a href="#">Galley Waste Disposal Unit</a>	<a href="#">38-31-68</a>	<a href="#">C6</a>	<a href="#">FAA</a>	<a href="#">-</a>
GWD9172-00	Galley Waste Disposal Unit	38-31-59	C6	EASA	-
GWD9180-00 /-10 GWD9180-01 /-11	Galley Waste Disposal Unit	38-31-62	C6	EASA	-
GWM5500-00 /-01/-04	Gray Water Module	38-31-02	C6	-	FAA
H3310A1	Heater	25-75-01	C6	-	EASA
HCU9505-01	Humidification Control Unit	21-72-01	C1	-	EASA
HIU787-01 /-02	Humidifier Interface Unit	21-71-30	C1	FAA	-
IPCU6980-01	Ice Protection Control Unit	30-70-01	C18	FAA	-
IPDU6981-XXXX	Ice Protection Data Unit	30-70-02	C18	FAA	-
J540A11-300 J540A12-300	Toilet Assembly (LH), Toilet Assembly (RH)	38-32-41	C6	FAA	-
J540A11-500 /-520 J540A12-500 /-520	Toilet Assembly (LH), Toilet Assembly (RH)	38-32-42	C6	FAA	-
J540A11-510 J540A12-510 /-515	Toilet Assembly (LH), Toilet Assembly (RH)	38-32-44	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
J540AI1-600 J540AI2-600	Toilet Assembly (LH), Toilet Assembly (RH)	38-32-43	C6	FAA	-
J540AI1-700 /-701/-710/-711 J540AI2-700 /-701/-710/-711	Toilet Assembly (LH), Toilet Assembly (RH)	38-31-58	C6	FAA	-
J540AI3-300	Controller, Vacuum System	38-32-34	C6	FAA	-
J540AI4-100	Generator, Vacuum	38-32-55	C6	FAA	-
J540AI6	Air Check Valve	38-31-46	C6	EASA	-
J540AI71-100 /-200	Waste Tank Assy	38-32-45	C6	EASA	-
J540AI73	Sensor, Liquid Level	38-31-54	C6	FAA	-
J540AI75-100	Sensor, Differential Pressure	38-31-56	C6	EASA	-
KP5081-00	Electrical Fuel Booster Pump	28-20-01	C9	EASA	-
MCU1109-00	Motor Control Unit	25-40-12	C6	FAA	-
MCU1114-00	Motor Control Unit	25-40-12	C6	FAA	-
MSDV9712-00 /-10 /-20	Manual Sink Drain Valve	38-30-06	C6	FAA	FAA
PA9285-01	Pressure Reservoir	38-13-02	C6	EASA	-
PR603/1, PR603/2, PR603/2/X, PR6030A7	Pitot Tube (Staurohr)	PV 4.3.5/29-1	C3	-	EASA
PR608	Pitot Tube (Staurohr)	PV 4.3.5/33, Dwg. Set D608	C3	-	EASA
PR6123	Pitot Tube (Staurohr)	PV 4.3.5/34, Dwg. Set D6123-0000-0000	C3	-	EASA
PR6130/1	Pitot Tube (Staurohr)	PV 500 1100 03, Dwg. Set 6130/1-0000-0000	C3	-	EASA

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
PSCU1108-00	Preselection Control Unit	38-10-50	C6	FAA	-
PWA6901-00	Tank Assy-PW	38-10-32	C6	FAA	-
PWA6917-00	Tank Assy – PW Large	38-10-32	C6	FAA	-
PWM6900-00	Potable Water Tank Module	38-10-27	C6	FAA	-
PWM6942-00	Potable Water Tank Module	38-10-27	C6	FAA	-
PWM6943-00	Potable Water Tank Module	38-10-27	C6	FAA	-
PWM6944-00	Potable Water Tank Module	38-10-28	C6	FAA	-
PWM9290-01 / -03 / -04 / -05	Potable Water Tank Module	38-13-01	C6	FAA	-
PWP6907-01 / -02	Potable Water Pump	38-10-31	C6	-	FAA
PWP9282-01, PWP9282-02	Potable Water Pump	38-11-01	C6	EASA	-
PWT9338-00 /-33	Potable Water Tank	38-30-02	C6	FAA	FAA
PWT9460-00	Potable Water Tank Module	38-10-05	C6	FAA	-
RCP5160-00, RCP5161-00	Flush Pump	38-30-04	C6	FAA	FAA
RP9467-00	Recirculation Pump	38-31-91	C6	FAA	-
RPCU9167-01	Residual Pressure Control Unit	21-30-01	C1	FAA	FAA
RHS9503-00	Relative Humidity Sensor	21-72-05	C1	-	EASA
RTA9147-00 / -01	Recirculating Toilet Module	38-30-05	C6	FAA	FAA
RTA9465-00	Recirculating Toilet Assembly	38-31-90	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
RTA9713-00	Recirculating Toilet Module	38-30-01	C6	FAA	FAA
RTC9468-00	Recirculating Toilet Control Unit	38-31-92	C6	FAA	-
SA622-2	Schauzeichen (Stromanzeiger) (Current Indicator)	PV 4.3.5/35-6, Dwg.Set C 6220-0000-0000	C3	-	EASA
SD9422-01	Smoke Detector	26-15-01	C18	FAA	-
SD9425-01	Smoke Detector	26-17-11 <sup>*2)</sup>	C18	EASA	-
SD9470-22	Smoke Detector	26-15-02	C18	FAA	-
SD9472-00	Smoke Detector	26-17-12	C18	FAA	-
SHCM9280-02 /-03 /-04 /-05	System Heating Control Module	38-00-01	C6	-	FAA
SP9289-01	Overflow Nipple (Heated)	38-15-07	C6	EASA	-
SPL9181-00	Service Panel Lever Unit	38-31-19	C6	EASA	-
SPL9205-00	Service Panel Lever Unit	38-31-94	C6	EASA	-
TA6949-00 / -01, TA6950-00 / -01	Toilet Assembly	38-31-84	C6	FAA	-
TA6989-00 TA6995-00	Toilet Assembly	38-32-81	C6	FAA	-
TA9107-00, TA9108-00 TA9117-00; TA9118-00	Toilet Assembly	38-32-80	C6	FAA	-
TA9115-00, TA9116-00 TA9125-00, TA9126-00	Toilet Assembly	38-31-61	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
TA9208-01	Toilet Assembly	38-33-01	C6	FAA	-
TA9124-00 / -50	Toilet Assembly (LH / RH)	38-32-23	C6	FAA	-
TBA9735-00 /-01, TBA9736-00 /-01 TBA9745-00 / TBA9746-00	Toilet Bidet Assembly	38-31-80	C6	FAA	-
TC7200A0A0	Temperature Controller	25-75-02	C6	-	EASA
TM9150-00 /-01 /-10 /-11 TM9151-00 /-01 /-10 /-11 TM9152-00 /-01 TM9153-00 /-01 TM9160-00 /-01 /-10 /-11 TM9161-00 /-01 /-10 /-11	Waste Tank Module L/H / R/H	38-31-47	C6	EASA	-
TM9162-01	Waste Tank Module	38-31-35	C6	EASA	-
TM9185-00	Tank Module (includes WTA9315-00)	38-32-20	C6	EASA	-
TM9210-01 /-02 /-03	Waste Tank Module	38-31-01	C6	FAA	-
TS6340A0	Compartment Temperature Selector	25-75-03	C6	-	EASA
VA3645	Fan, Axial	PV 3.5.3/8 Dwg. Set 3645-0000-0000	C1	-	FAA
VA3660	Fan, Axial	PV 3.5.3/7 Dwg. Set 3660-0000-0000	C1	-	FAA
VA4110	FWD Cargo Fan	21-21-18	C1	-	FAA
VA4111-05 /-06	Fan, Variable Speed	21-21-24	C1	-	FAA
VA4120-00	FWD.Cargo Fan	21-21-20	C1	-	FAA
VD3800	Mixed Flow Fan	21-21-13	C1	-	FAA

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
VD3810	Mixed Flow Fan	21-21-12	C1	FAA	FAA
VD3820, VD3820-01	Fan, Mixed Flow	21-21-11	C1	-	FAA
VD3870	Fan, Mixed Flow	3870	C1	-	FAA
VD3900-02 /-03	Recirculation Fan	21-21-16	C1	FAA	FAA
VD3900-021	Recirculation Fan	21-21-23	C1	FAA	FAA
VD3901-00	Fan, Recirculation	21-21-16	C1	FAA	FAA
VD3909-00	Fan, Recirculation	21-21-19	C1	FAA	FAA
VD3920	Fan, Extraction	21-21-14	C1	FAA	FAA
VR3910	Fan, Extraction	21-21-15	C1	-	FAA
VR3914-00	Fan	21-73-01	C1	-	FAA
VR3916-00	Vacuum Generator	38-32-22	C6	FAA	-
VR6962-00 /-01 /-10	Vacuum Generator	38-31-86	C6	FAA	FAA
VR9218-01	Vacuum Generator	38-31-03	C6	-	FAA
VR4100-02 /-03 /-04	Recirculation Fan	21-21-17	C1	FAA	FAA
VSC8991, VSC8992 VSC8993, VSC8994	Vacuum System Controller	38-32-35	C6	FAA	-
VSC8997-00 /-01	Vacuum System Controller	38-32-36	C6	-	FAA
VSC9100-00 /-01 /-02	Vacuum System Controller	38-31-34	C6	FAA	-
WBV6990-00	Waste Ball Valve	38-31-88	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
WBV9741-00	Waste Ball Valve	38-32-48	C6	FAA	-
WC9340-01/-02	Water Cooler Assembly	refer to Sub Assemblies	C6	EASA	-
WC9342-00 /-01	Water Cooler	38-16-01	C6	EASA	-
WCU9164-01	Waste Control Unit	38-31-32	C6	-	EASA
WCU9188-00	Waste Control Unit (Sub Assy of TM9185-00)	38-32-21	C6	-	EASA
WCU6958-00	Waste Control Unit	38-31-87	C6	-	FAA
WCU9214-01	Waste Control Unit	38-31-04	C6	-	FAA
WDV5650-00	Drain Valve	38-32-28	C6	EASA	-
WDV6959-00	Waste Drain Valve	38-31-88	C6	FAA	-
WDV9215-00	Waste Dump Valve	38-32-03	C6	EASA	-
WLS3015-00	Quantity Transmitter	38-10-51	C6	FAA	-
WLS3017-00	Quantity Transmitter	38-10-51	C6	FAA	-
WLS6902-00	Quantity Transmitter	38-10-33	C6	-	FAA
WLS6914-00	Quantity Transmitter	38-10-33	C6	-	FAA
WLS9292-01 /-02 /-03 /-04	Water Control Unit	38-12-01	C6	-	FAA
WPV787-01	Water Pulse Valve	21-71-22	C1	FAA	-
WT228/x-xxxx (all versions as listed in 31-50-01)	Warntableau	31-50-01	C13	-	EASA
WTA3050-00	Waste Tank Assembly	38-33-40	C6	FAA	-

# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL
WTA3060-00	Waste Tank Assembly	38-33-40	C6	FAA	-
WTA6701-00	Waste Tank Assembly	38-31-39	C6	FAA	-
WTA6906-00	Treatment Module PW	38-10-30	C6	FAA	-
WTA6906-01	Treatment Module PW	38-10-30	C6	FAA	-
WTA6953-XX	Waste Tank Assembly	38-31-97	C6	FAA	-
WTA6954-00	Waste Tank Assembly	38-31-99	C6	FAA	-
WV6966-00	Water Valve (Sub-Assy of TA6949-00 u.a.)	38-31-85	C6	FAA	-
WV6966-01	Water Valve (Sub-Assy of TA6949-00 u.a.)	38-31-85	C6	FAA	-
WV9132-00	Valve Assy, Water (Sub Assy of TA9124-x0)	38-32-25	C6	FAA	-
WV9135-00	Water Valve	38-31-52	C6	FAA	-
WV9135-01	Water Valve	38-31-53	C6	FAA	-
WV9737-00, WV9738-00	Water Valve	38-31-82	C6	FAA	-
WV9940-00	Water Valve	38-32-60	C6	FAA	-
WVA9504-00 / -01	Water Valve Assembly	21-72-10	C1	-	EASA
WWP9278-01	WWS Control & Indication Panel	38-00-02	C6	EASA	-
ZCU787-02 /-03 /-04	Zonal Control Unit	21-72-30	C1	-	FAA

- End of List -

Note <sup>\*1)</sup>: the complete set of maintenance documents and its revision status is available in archive as described in [AAA-0696](#)



# Capability List of Maintenance Organization DE.145.0021, FAA approved Repair Station AGGY136K



Location: DRE = Dresden, GIL = Gilching;  
List sorted by Part Numbers

Release Certificate:  
**EASA** = Single Release EASA Form 1-145 only  
**FAA** = EASA Form 1-145 Dual Release FAA Approval AGGY136K

Part Number	Name	Maintenance Document <sup>*1)</sup>	C-Rating	Location	
				DRE	GIL

Note <sup>\*2)</sup>: limited to work as described in Manual 26-17-11 (no exchange of radioactive source and no calibration)