

IZAR PORT PULSE MINI

M-BUS CONVERTER



APPLICATION

The IZAR PORT PULSE MINI offers the possibility to connect resource meters with pulse output to an M-Bus network (transformation of pulses to M-Bus protocol). It is suitable for all meter types with pulse transmitter or open collector output.

FEATURES

- Two independent pulse counters
- Configuration via M-Bus interface using HYDRO-PORT software
- Physical unit and medium programmable for each input
- Pulse divisor programmable for each input
- Power supply via M-Bus, battery supply to continue pulse counting if M-Bus fails
- Splash water protected (IP 54)
- Wall mounting possibility

PRINCIPLE OF OPERATION

The IZAR PORT PULSE MINI consists of an electronic unit that collects meter information in the form of pulses. These pulse counts are converted into physical units. The data is transmitted via M-Bus protocol to a data concentrator (M-Bus Master IZAR CENTER).

GENERAL

IZAR PORT PULSE MINI	
Housing	Light-grey plastic housing with wall mounting support
Cable length	Max. 1.5 m for connecting pulse transmitter / open collector
Interfaces	M-Bus output; 2 independent (voltage-free) pulse inputs
Configuration	Via M-Bus and HYDRO-PORT software (free of charge)


TECHNICAL DATA

IZAR PORT PULSE MINI			
Power supply	Via M-Bus or Lithium battery 3.6 V		
Pulse frequency	Hz	50	
Pulse width	ms	7.5	
Weight	g	150	
Protection class	IP 54		

AMBIENT CONDITIONS

IZAR PORT PULSE MINI			
Humidity	%	10 ... 80	
Temperature range	°C	0 ... 60	

DIMENSIONS



IZAR PORT PULSE MINI			
Length	L	mm	88
Width	B	mm	88
Height	H	mm	49

Economic Actor Information

Applicable regulation and legal obligations for products may change.

DIEHL METERING monitors applicable regulation to ensure their products comply at the date of placing on the market.

Each economic actor making products available on the market thereafter must independently keep informed about the current applicable regulation.

For questions, please contact: metering-germany-info@diehl.com

Diehl Metering S.A.S.
Head Office
67 rue du Rhône
BP 10160
FR-68304 Saint-Louis Cedex
Phone: + 33 (0)3 89 69 54 00
Fax: + 33 (0)3 89 69 72 20
metering-France-info@diehl.com

International Sales
67 rue du Rhône
BP 10160
FR-68304 Saint-Louis Cedex
Phone: + 33 (0)3 89 69 54 21
Fax: + 33 (0)3 89 69 54 22
metering-France-export@diehl.com
www.diehl.com/metering

**EMPOWER A
SUSTAINABLE
FUTURE**