

UN 38.3 Test Summary Report

[a] Name of cell, battery or product manufacturer, as applicable	Thi Call bettery or product manufacturer's centest information		
[a] Name of cell, battery or product manufacturer, as applicable	[b] Cell, battery, or product manufacturer's contact information to include address, phone number, email address and website for more information;		
Item Number : XL-145F			
Item Name : Cell			
Item Description : 3.6V / 8.5Ah			
Same Type Part	XENOENERGY Co., Ltd.		
- STD : Standard(with no terminal)	70-7, Muha-ro, Hwaseong-city, Kyonggi-do		
- Terminal type	Republic of Korea, 18729		
· Tag : T1	T. +82 31 355 3511		
· Pin : AX	global@xenoenergy.com		
· Harness and cable : C&W	www.xenoenergy.com		
Tiarriess and cable . Cavv			
[c] Name of the test laboratory to include address, phone number,	[d] A unique test report [e]Date of test report;		
email address and website for more information;	identification number;		•
,	,		
VENOENEDOV Co. 144	Xeno Q120725	July 25, 2012	
XENOENERGY Co., Ltd.			
70-7, Muha-ro, Hwaseong-city, Kyonggi-do			
Republic of Korea, 18729	[g] List of tests conducted and results (i.e., pass/fail);		
T. +82 31 355 3511			
rnd@xenoenergy.com	✓ Test T.1 : Altitude simulation Pass ✓ Test T.2 : Thermal test Pass		Pass
www.xenoenergy.com			
			Pass
[f] Description of cell or battery to include at a minimum:	1		
Lithium ion or lithium metal cell or battery; Mass; Watt-hour rating,	☐ Test T.3 : Vibration Pass		
or lithium content; Physical description of the cell/battery; and Model			. 400
numbers.	✓ Test T.4 : Shock		Pass
	Test 1.4 . Shock		F 455
Cell used in implantable medical devices, such as :		-114	D
Pacemaker(IPG),Neuro-Stimulators or Implantable	☐ Test T.5 : External short circuit Pass		Pass
Defibrillators(ICD)	☑ Test T.6 : Impact/Crush(cell only test) Pass		
,			Pass
(i) Lithium metal			
(ii) Mass: max. 54g			
(iii) Lithium content : 2.3g			
(iv) ELC or W/h rating : 3.6V / 8.5Ah			
(v) Model number: XL-145F	Testing additional comments : No additional information		
	1 35th 19 desired to minority . No deditional information		
[h] Reference to assembled battery testing requirements, if	[i] Deference to the revised a	dition of the Manua	Lof Tests and
applicable (i.e. 38.3.3 (f) and 38.3.3 (g));	[i] Reference to the revised edition of the Manual of Tests and Criteria used and to amendments thereto, if any;		
applicable (i.e. 56.5.5 (i) and 56.5.5 (g)),	Chiena used and to amendin	ients thereto, it arry	
Not Applicable.	LINI Manual of Toots and Critoria Dart III sub-section 20.2		
Not Applicable.	UN Manual of Tests and Criteria, Part Ⅲ, sub-section 38.3. sixth revised edition		
[j] Signature with name and title of signatory as an indication of the	Date this doucment was gen	erated.	
validity of information provided.			
3-29	Oct. 21, 2019		
Name(Signed by): JR Kim			
Title : Director of R&D			
Important! The above signatory / signatories affirm that this document is a	true and correct summary of the	original individual te	ets and test
portaine i no abovo dignatory / dignatorios annin trial lins abbuillent is a	and our construction of the	. Sirginal marvidual les	no and tool

Important! The above signatory / signatories affirm that this document is a true and correct summary of the original individual tests and test data. The original test data is confidential information available to competent State Authorities with valid identification and only upon their formal request. Disclosure of the original test data to any other entity upon its request will be considered by XENOENERGY and, should XENOENERGY consider this request is with merit, may be subject to the prior execution of a nondisclosure agreement.



Welcome to visit

XENOENERGY Co., Ltd.

Made in Republic of Korea